

DFS/5/(2)/2009  
Government of India  
Ministry of Home Affairs  
Directorate of Forensic Science

Block No. IX 8<sup>th</sup> Floor  
CGO Complex Lodi Road,  
New Delhi-110003  
Dated the April , 2009

To

01 MAY 2009

Dear Sir,

The Directorate of Forensic Science, New Delhi requires to purchase/installed Internet facilities at DFS Hqrs The list of the estimated items required is enclosed at Annexure-I. It is therefore requested to kindly send your quotation to the under signed latest by 10.5.2009.

Yours faithfully,



(Man Mohan)  
Administrative Officer(FS)

✓ Copy to Md. Tufail, Stenographer Gr. I GEQD, Kolkata for place the order on website.

## **Active Component for Local Area Network**

WS-C3560G-24TS-S Catalyst 3560 24

1. 10/100/1000-7 +4 SFP Standard Image
2. Fibre to UTP media convertor

## **Passive Component for DATA**

1. CAT 6 UTP Cable
2. Cat 6 Information Outlet
3. Face Plate
4. CAT 6 Panel 24 Port
5. CAT 6 Mounting Cord 3ft CAT5e
6. CAT 6 Mounting Cord 7ft CAT5e
7. OFC 6 Core Armoured Multimode
8. LIU 12 Port – Systimax
9. SC Connector – Systimax
10. SC-SC Path cord 10ft – Systimax
11. 19” Rack 9U Wall Mount with accessories
12. Gang Box
13. PVC Pipe 25 mm

## **Installation**

1. Laying of UTP/PVC Cable Cat 6
2. UTP Cable connection at I/O
3. Fixing of Face Plate
4. Installation of PVC Conduit
5. Fixing of Jack Panel and UTP cable connection
6. Laying of OFC Cable
7. SC Connectorisation
8. Testing of UTP Cable with Fluke DTX 1800

\* \* \*